


## LEADER PORTABLE MONITORS: Partner 2

#### **UP TO 3000 L/MIN**

Ergonomically designed for performance, ease of handling and safety at the fire scene!



#### **OPTIONAL ACCESSORIES:**

- Oscillating system
- Anti-slip safety system
- Dual inlet 2x 2.5"
- ► All types of couplings
- ▶ 500 2000 I/min automatic head
- ► Foam adapter for automatic head
- ▶ 1000, 2000 and 3000 l/min foam tubes
- Storage bracket



Complies with the standards in force (EN)

### Partner 2




#### **FEATURES SUMMARY:**


- Flowrate: up to 3000 l/min
- Inlets: 2.5" or 4"
- Elevation: adjustable from 25° to 85°
- Horizontal-rotation: 40° (20° to either side of center)
- Integral pressure gauge
- Materials: hard anodized aluminium, epoxy paint, stainless steel for increased corrosion resistance
- Weight: 9.3 kg
- Warranty: 5 years



#### **DIMENSIONS:**

- Unfolded without head: L 614 x W 642 x H 361 mm
- Folded without head: L 574 x W 206 x H 361 mm
- Unfolded with head down: L 694 x W 642 x H 457 mm





Discover our range of: **NOZZLES, WYES AND FOAM EQUIPMENT** 











# WE LISTEN TO OUR CUSTOMERS TO DESIGN TOMORROW'S EQUIPMENT



#### **HEAD OFFICE**

Groupe LEADER S.A.S.

ZI des Hautes-Vallées - Chemin n° 34 - CS20014 - 76930 Octeville sur Mer - France Tél +33 (0)2.35.53.05.75 - Fax +33 (0)2.35.53.16.32 info@leader-group.eu

#### **SUBSIDIARIES**

LEADER GmbH

Zur Fabrik 10 - 66271 Kleinblittersdorf - Germany Tel. : +49 (0) 6805/60067-0 - Fax : +49 (0) 6805/60067-10 info@leader-gmbh.de LEADER NORTH AMERICA Inc.

109-A Summerville Drive, Mooresville, NC28115 - U.S.A

Tel: + 1 (0)704-662-3377 - Fax: + 1 (0)704-662-3397 info@LeaderNorthAmerica.com

#### AGENCIES

SPAIN / PORTUGAL / LATIN AMERICA spain.portugal.latinamerica@leader-group.eu

CHINA / HONG KONG / MACAU china@leader-group.eu

ww.leader-group.eu

